

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("10730358").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/27 17:17
L2	1	("6074696").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/27 17:17
S7	0	(c23c015\$.ipc.) and (temperture thermal) and (sens\$3 measur\$3 control\$4) and wireless\$4	US-PGPUB; USPAT	OR	ON	2006/09/27 17:17
S8	0	(c23c015\$.ipc.) and (temperture thermal) and (sens\$3 measur\$3 control\$4) and wireless\$4	EPO; JPO; DERWENT	OR	ON	2005/08/22 16:54
S9	1	(c23c016\$.ipc.) and (temperture thermal) and (sens\$3 measur\$3 control\$4) and wireless\$4	EPO; JPO; DERWENT	OR	ON	2005/08/22 16:54
S10	26	(substrate wafer semiconductor workpiece) and (temperture thermal) and (sens\$3 measur\$3 control\$4) and wireless\$4	EPO; JPO; DERWENT	OR	ON	2005/08/22 16:59
S11	6283	(substrate wafer semiconductor workpiece) and (temperture thermal) and (sens\$3 measur\$3 control\$4) and wireless\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/22 16:59
S12	59	(substrate wafer semiconductor workpiece) and (temperture thermal) and (sens\$3 measur\$3 control\$4) and wireless\$4 and ("118"/\$.ccls. 156/345.\$.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/22 17:01
S13	6	(substrate wafer semiconductor workpiece) and ((temperture thermal) same (sens\$3 measur\$3 control\$4) same wireless\$4) and ("118"/\$.ccls. 156/345.\$.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/22 17:03
S14	6	((temperture thermal) same (sens\$3 measur\$3 control\$4) same wireless\$4) and ("118"/\$.ccls. 156/345.\$.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/22 17:01
S15	13	(substrate wafer semiconductor workpiece) with (holder chuck table susceptor) with (sens\$4 measur\$4 detect\$4 control\$4) with wireless\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/22 17:04
S16	114	(substrate wafer semiconductor workpiece) with (holder chuck table susceptor) with (sens\$4 measur\$4 detect\$4 control\$4) with remot\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/22 17:04
S17	20	("20020173059" "5444637" "5526293" "5594328" "5801386" "5885402" "5959309" "5967661" "5969639" "6033922" "6051443" "6190040" "6244121" "6325536" "6458239" "6576922" "6614051" "6616332" "6691068" "6738722").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/22 17:27
S18	6	kinei-satofumi.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/22 17:29
S19	2709	((118/725) or (118/730) or (156/345.52) or (156/345.54)). CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/22 17:30
S20	2946	((118/725) or (118/730) or (156/345.52) or (156/345.54) or (118/666)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/22 17:31
S21	92	S20 and ((temperature thermal) with (remot\$4 wireless\$4))	US-PGPUB; USPAT	OR	ON	2005/08/22 17:34
S22	6411	(temperature thermal\$4) and (sens\$4 detect\$4 measur\$4) and (hold\$4 susceptor table support\$4 chuck pedestal pedestall) and (wafer semiconductor substrate workpiece)	EPO; JPO; DERWENT	OR	ON	2005/08/25 17:55
S23	8	(temperature thermal\$4) and (sens\$4 detect\$4 measur\$4) and (hold\$4 susceptor table support\$4 chuck pedestal pedestall) and (wafer semiconductor substrate workpiece) and wireless\$4	EPO; JPO; DERWENT	OR	ON	2005/08/25 19:16
S24	9	(temperature thermal\$4) with (sens\$4 detect\$4 measur\$4) with (hold\$4 susceptor table support\$4 chuck pedestal pedestall) with (wafer semiconductor substrate workpiece) with wireless\$4	US-PGPUB; USPAT	OR	ON	2005/08/25 17:58

EAST Search History

S25	58	((temperature thermal\$4) with (sens\$4 detect\$4 measur\$4) with (hold\$4 susceptor table support\$4 chuck pedestal pedestal) with (wafer semiconductor substrate workpiece)) and ((outside external) with receiv\$4 with signal\$4)	US-PGPUB; USPAT	OR	ON	2005/08/25 18:00
S26	1	("6328802").URPN.	USPAT	OR	ON	2005/08/25 18:10
S27	9	("4673588" "5350480" "5372648" "5376213" "5688331" "5778968" "6110322" "6135052" "6328802").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 18:11
S28	0	("6857388").URPN.	USPAT	OR	ON	2005/08/25 18:11
S29	9	("4535638" "4762429" "4772130" "5511427" "5511428" "5564830" "5616518" "5772322" "5835553").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 18:11
S30	1	("6328802").URPN.	USPAT	OR	ON	2005/08/25 18:12
S31	21	("4543576").URPN.	USPAT	OR	ON	2005/08/25 18:16
S32	6	("3039355" "3609728" "4331702" "4332081" "4422066").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 18:16
S33	14	("4767496").URPN.	USPAT	OR	ON	2005/08/25 18:18
S34	3039477	"14" not S31	USPAT	OR	ON	2005/08/25 18:18
S35	13	S33 not S31	USPAT	OR	ON	2005/08/25 18:18
S36	31	(US-20040007326-\$ or US-20040112293-\$ or US-20050155708-\$ or US-20040107066-\$ or US-20010012639-\$ or US-20030059960-\$ or US-20030173635-\$).did. or (US-5444637-\$ or US-5526293-\$ or US-5801386-\$ or US-5969639-\$ or US-6907364-\$ or US-6827630-\$ or US-6823753-\$ or US-6780082-\$ or US-4543576-\$ or US-5996415-\$ or US-6112595-\$ or US-6182510-\$ or US-6328802-\$ or US-6857388-\$ or US-5564830-\$ or US-6472240-\$ or US-6756223-\$ or US-6794310-\$ or US-4661229-\$ or US-4767496-\$ or US-5167748-\$).did. or (JP-2004014902-\$ or DE-10240446-\$ or SU-1492398-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/08/25 18:24
S37	0	S36 and (display\$3 with (inside internal\$4))	US-PGPUB; USPAT	OR	ON	2005/08/25 18:25
S38	17	((temperature thermal\$4) with (measur\$4 detect\$4 sens\$4 monitor\$4 measur\$4) with (substrate workpiece semiconductor wafer)) same (display\$3 with (inside internal\$4))	US-PGPUB; USPAT	OR	ON	2005/08/25 18:30
S39	0	(118/715-733.ccls. 156/345.\$ccls.) and ((temperature thermal\$4) same (measur\$4 detect\$4 sens\$4 monitor\$4 measur\$4) same (substrate workpiece semiconductor wafer) same display\$3 with (inside internal\$4))	US-PGPUB; USPAT	OR	ON	2005/08/25 18:36
S40	0	(118/715-733.ccls. 156/345.\$ccls.) and ((temperature thermal\$4) same (measur\$4 detect\$4 sens\$4 monitor\$4 measur\$4) same display\$3 with (inside internal\$4))	US-PGPUB; USPAT	OR	ON	2005/08/25 18:32
S41	258	(118/715-733.ccls. 156/345.\$ccls.) and ((temperature thermal\$4) same (measur\$4 detect\$4 sens\$4 monitor\$4 measur\$4) same display\$3)	US-PGPUB; USPAT	OR	ON	2005/08/25 19:53
S42	145	(118/715-733.ccls. 156/345.\$ccls.) and ((temperature thermal\$4) same (measur\$4 detect\$4 sens\$4 monitor\$4 measur\$4) same (substrate workpiece semiconductor wafer) same display\$3)	US-PGPUB; USPAT	OR	ON	2005/08/25 18:33
S43	10	(118/715-733.ccls. 156/345.\$ccls.) and ((temperature thermal\$4) same (display\$3 with (inside internal\$4)))	US-PGPUB; USPAT	OR	ON	2005/08/25 18:41
S44	109	(118/715-733.ccls. 156/345.\$ccls.) and ((temperature thermal\$4) same (display\$3) same (mount\$4 connect\$4 attach\$4))	US-PGPUB; USPAT	OR	ON	2005/08/25 19:05
S45	18	(118/715-733.ccls. 156/345.\$ccls.) and ((temperature thermal\$4) same (display\$3) same (transparent\$4))	US-PGPUB; USPAT	OR	ON	2005/08/25 19:05

EAST Search History

S46	0	(temperature thermal\$4) with (sens\$4 detect\$4 measur\$4) with (hold\$4 susceptor table support\$4 chuck pedestal pedestal) with disply\$4	EPO; JPO; DERWENT	OR	ON	2005/08/25 19:16
S47	0	(temperature thermal\$4) with (sens\$4 detect\$4 measur\$4) with (hold\$4 susceptor table support\$4 chuck pedestal pedestal) with disply\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 19:16
S48	1	(temperature thermal\$4) with (hold\$4 susceptor table support\$4 chuck pedestal pedestal) with disply\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 19:17
S49	15	118/728-730.ccls. and (display\$4 with (temperature thermal\$4) with (hold\$4 susceptor table support\$4 chuck pedestal pedestal))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 19:18
S50	15	(118/728-730.ccls. 156/345.51-345.55.ccls.) and (display\$4 with (temperature thermal\$4) with (hold\$4 susceptor table support\$4 chuck pedestal pedestal))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 19:22
S51	50	(118/728-730.ccls. 156/345.51-345.55.ccls.) and (display\$4 with (position\$3 mount\$3 adjacent connect\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 19:23
S52	6	c23c016\$.ipc. and (display\$4 with (inside internal\$4) with (temperature thermal\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 19:40
S53	14	c23c016\$.ipc. and (display\$4 with transparent\$4 with (wall chamber sidewall window))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 19:42
S54	10	c23c016\$.ipc. and (display\$4 with transparent\$4 with (wall chamber sidewall window))	EPO; JPO; DERWENT	OR	ON	2005/08/25 19:41
S55	13	("118"/\$.ccls. 156/345\$.ccls.) and (display\$4 with transparent\$4 with (wall chamber sidewall window))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 19:47
S56	0	(118/715-733.ccls. 156/345\$.ccls.) and (transparent\$4 with (wall chamber sidewall) with (view) with (output result signal data display temperature))	US-PGPUB; USPAT	OR	ON	2005/08/25 19:55
S57	46	(118/715-733.ccls. 156/345\$.ccls.) and (transparent\$4 with (wall chamber sidewall) with (view\$3))	US-PGPUB; USPAT	OR	ON	2005/08/25 20:05
S58	172	118/713.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/26 13:42
S59	172	118/713.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/26 13:43
S60	0	((monitor\$3 display\$3 screen) with (inside internal\$4) with temperature) and S59	US-PGPUB; USPAT	OR	ON	2005/08/26 13:43
S61	13	((monitor\$3 display\$3 screen) with (inside internal\$4)) and S59	US-PGPUB; USPAT	OR	ON	2005/08/26 13:50
S62	180	c23c016\$.ipc. and ((monitor\$3 display\$3 screen) with (inside internal\$4))	US-PGPUB; USPAT	OR	ON	2005/08/26 13:51
S63	23	c23c016\$.ipc. and ((monitor\$3 display\$3 screen) same (inside internal\$4) same temperature)	EPO; JPO; DERWENT	OR	ON	2005/08/26 13:58
S64	69	c23c016\$.ipc. and (temperature with (measur\$3 sens\$3 detect\$3) with (display\$3 observ\$4 screen monitor\$3 view\$3))	EPO; JPO; DERWENT	OR	ON	2005/08/26 14:01
S65	56	S64 not S63	EPO; JPO; DERWENT	OR	ON	2005/08/26 14:00
S66	11	c23c016\$.ipc. and (temperature with (measur\$3 sens\$3 detect\$3) with (display\$3 observ\$4 screen monitor\$3 view\$3) with (inside internal\$4))	EPO; JPO; DERWENT	OR	ON	2005/08/26 14:07
S67	0	(118/715-733.ccls. 156/345\$.ccls.) and (temperature with (display\$3 screen) with (measur\$3 sens\$3 detect\$3) with (semiconductor substrate wafer workpiece))	EPO; JPO; DERWENT	OR	ON	2005/08/26 14:09

EAST Search History

S68	62	(US-20010001952-\$ or US-20010012639-\$ or US-20020014203-\$ or US-20020134505-\$ or US-20030029572-\$ or US-20030051814-\$ or US-20030059960-\$ or US-20030173635-\$ or US-20040007326-\$ or US-20040040933-\$ or US-20040107066-\$ or US-20040112293-\$ or US-20050155708-\$ or US-20050098104-\$ or US-20050115500-\$).did. or (US-4543576-\$ or US-4661229-\$ or US-4767496-\$ or US-4975252-\$ or US-5147498-\$ or US-5167748-\$ or US-5229081-\$ or US-5444637-\$ or US-5489339-\$ or US-5526293-\$ or US-5564830-\$ or US-5622593-\$ or US-5801386-\$ or US-5846882-\$ or US-5879574-\$ or US-5969639-\$ or US-5996415-\$ or US-6014082-\$ or US-6021738-\$ or US-6112595-\$ or US-6121580-\$ or US-6169244-\$ or US-6182510-\$ or US-6265696-\$ or US-6328802-\$ or US-6472240-\$).did. or (US-6488777-\$ or US-6740853-\$ or US-6756223-\$ or US-6780082-\$ or US-6794310-\$ or US-6823753-\$ or US-6827630-\$ or US-6857388-\$ or US-6863734-\$ or US-6907364-\$ or US-RE33326-\$ or US-5413688-\$ or US-5549756-\$ or US-6197116-\$ or US-6736901-\$ or US-6818064-\$ or US-6832577-\$ or US-4301998-\$).did. or (SU-1492398-\$ or JP-2004014902-\$ or DE-10240446-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/08/26 14:09
S69	1	(118/715-733.ccls. 156/345.\$ccls.) and (temperature with (display\$3 screen) with (measur\$3 sens\$3 detect\$3))	EPO; JPO; DERWENT	OR	ON	2005/08/26 14:10
S70	49	(118/715-733.ccls. 156/345.\$ccls.) and (temperature with (display\$3 screen) with (measur\$3 sens\$3 detect\$3))	US-PGPUB; USPAT	OR	ON	2005/08/26 14:10
S71	0	(118/715-733.ccls. 156/345.\$ccls.) and (temperature with (display\$3 screen) with (measur\$3 sens\$3 detect\$3) with (inside internal\$4))	US-PGPUB; USPAT	OR	ON	2005/08/26 14:10
S72	55	(temperature with (display\$3 screen) with (measur\$3 sens\$3 detect\$3) with (inside internal\$4) with (chamber wall sidewall))	US-PGPUB; USPAT	OR	ON	2005/08/26 14:31
S73	129	118/725.ccls. and (display\$3 screen\$3 monitor\$3 view\$3) with (inside internal\$4)	US-PGPUB; USPAT	OR	ON	2005/08/26 14:33
S74	29	118/725.ccls. and (display\$3 screen\$3 monitor\$3) with (inside internal\$4)	US-PGPUB; USPAT	OR	ON	2005/08/26 17:40
S75	48	118/725.ccls. and (data with stor\$3)	US-PGPUB; USPAT	OR	ON	2005/08/26 14:41
S76	5	118/725.ccls. and (data with stor\$3 with (transfer\$4 detach\$4 remov\$4))	US-PGPUB; USPAT	OR	ON	2005/08/26 14:43
S77	11348	118/715-733.ccls.ccls. and (data with stor\$3 with (detach\$4 remov\$4))	US-PGPUB; USPAT	OR	ON	2005/08/26 14:43
S78	6	118/715-733.ccls. and (data with stor\$3 with (detach\$4 remov\$4))	US-PGPUB; USPAT	OR	ON	2005/08/26 14:45
S79	9	156/345.\$ccls. and (data with stor\$3 with (detach\$4 remov\$4))	US-PGPUB; USPAT	OR	ON	2005/08/26 15:27
S80	23	"4543576"	US-PGPUB; USPAT	OR	ON	2005/08/26 15:27
S81	44	("20020078770" "20020092369" "20020101508" "20030001083" "20030115978" "20040031340" "4119381" "4180199" "4543576" "4819167" "5046909" "5321634" "5321989" "5435682" "5445491" "5452521" "5483138" "5521123" "5573728" "5625297" "5726066" "5786704" "5844683" "5851370" "5917601" "5942991" "5946083" "5962909" "5980194" "5993141" "6002840" "6048162" "6051113" "6111520" "6195246" "6198976" "6208751" "6244121" "6313596" "6352466" "6468816" "6517418" "6603117" "6648730").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/26 15:55

EAST Search History

S82	88	(US-20010001952-\$ or US-20010012639-\$ or US-20020014203-\$ or US-20020134505-\$ or US-20030029572-\$ or US-20030051814-\$ or US-20030059960-\$ or US-20030173635-\$ or US-20040007326-\$ or US-20040040933-\$ or US-20040107066-\$ or US-20040112293-\$ or US-20050155708-\$ or US-20050098104-\$ or US-20050115500-\$ or US-20020140848-\$ or US-20040117056-\$ or US-20040121069-\$ or US-20030055526-\$ or US-20030168171-\$ or US-20040108065-\$ or US-20040177924-\$ or US-20020148307-\$ or US-20020101508-\$ or US-20030001083-\$ or US-20040031340-\$).did. or (US-4543576-\$ or US-4661229-\$ or US-4767496-\$ or US-4975252-\$ or US-5147498-\$ or US-5167748-\$ or US-5229081-\$ or US-5444637-\$ or US-5489339-\$ or US-5526293-\$ or US-5564830-\$ or US-5622593-\$ or US-5801386-\$ or US-5846882-\$ or US-5879574-\$ or US-5969639-\$ or US-5996415-\$ or US-6014082-\$ or US-6021738-\$ or US-6112595-\$ or US-6121580-\$ or US-6169244-\$ or US-6182510-\$ or US-6265696-\$ or US-6328802-\$ or US-6472240-\$).did. or (US-6488777-\$ or US-6740853-\$ or US-6756223-\$ or US-6780082-\$ or US-6794310-\$ or US-6823753-\$ or US-6827630-\$ or US-6857388-\$ or US-6863734-\$ or US-6907364-\$ or US-RE33326-\$ or US-5413688-\$ or US-5549756-\$ or US-6197116-\$ or US-6736901-\$ or US-6818064-\$ or US-6832577-\$ or US-4301998-\$ or US-6359267-\$ or US-6124793-\$ or US-6562185-\$ or US-6642151-\$ or US-6776872-\$ or US-4823073-\$ or US-4810335-\$ or US-4868490-\$ or US-5334251-\$).did. or (US-6734027-\$ or US-6895831-\$ or US-6111520-\$ or US-6244121-\$ or US-6352466-\$ or US-6468816-\$).did. or (SU-1492398-\$ or JP-2004014902-\$ or DE-10240446-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/08/26 16:13
S83	33	S82 and thermocouple	US-PGPUB; USPAT	OR	ON	2005/08/26 16:18
S84	1	("5147498").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/26 16:17
S85	37	S82 and (heat\$3 with (over above upper top))	US-PGPUB; USPAT	OR	ON	2005/08/26 17:24
S86	2	"02112254"	EPO; JPO; DERWENT	OR	ON	2005/08/26 17:24
S87	9	118/725.ccls. and (thermocouple with (display\$3 screen))	US-PGPUB; USPAT	OR	ON	2006/09/26 18:25
S88	6	118/728-730.ccls. and (thermocouple with (display\$3 screen))	US-PGPUB; USPAT	OR	ON	2005/08/26 17:48
S89	0	156/345.51-345.55. and (thermocouple with (display\$3 screen))	US-PGPUB; USPAT	OR	ON	2005/08/26 17:48
S90	1	156/345.51-345.55.ccls. and (thermocouple with (display\$3 screen))	US-PGPUB; USPAT	OR	ON	2005/08/26 17:49
S91	2	c23c016\$.ipc. and (thermocouple with (display\$3 screen))	EPO; JPO; DERWENT	OR	ON	2005/08/26 17:52
S92	2	"09036052"	EPO; JPO; DERWENT	OR	ON	2005/08/26 17:51
S93	6	(etch\$3 coat\$3 deposit\$3 ((film layer) with (form\$3 remov\$3))) and (semiconductor wafer workpiece substrate) and (thermocouple with (display\$3 screen))	EPO; JPO; DERWENT	OR	ON	2005/08/26 17:56
S94	2038	(etch\$3 coat\$3 deposit\$3 ((film layer) with (form\$3 remov\$3))) and (semiconductor wafer workpiece substrate) and (temperature with (display\$3 screen))	EPO; JPO; DERWENT	OR	ON	2005/08/26 17:56

EAST Search History

S95	130	(etch\$3 coat\$3 deposit\$3 ((film layer) with (form\$3 remov\$3))) and (semiconductor wafer workpiece substrate) and ((measur\$3 sens\$3 detect\$3 observ\$3) with temperature with (display\$3 screen))	EPO; JPO; DERWENT	OR	ON	2005/08/26 17:57
S96	24	(etch\$3 coat\$3 deposit\$3 ((film layer) with (form\$3 remov\$3))) and (semiconductor wafer workpiece substrate) and ((measur\$3 sens\$3 detect\$3 observ\$3) with temperature with (display\$3 screen)) and signal	EPO; JPO; DERWENT	OR	ON	2005/08/26 18:25
S97	1	("20030168171").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/26 18:25
S98	28	("5549756").URPN.	USPAT	OR	ON	2006/09/26 15:46
S99	9	("4978567" "5053247" "5207835" "5444217" "5580388" "5710407" "5802099" "5820686" "5872632").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 16:03
S100	4	("20010055189" "5146481" "5916370" "6191394").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 18:16
S101	0	("6863734").URPN.	USPAT	OR	ON	2006/09/26 18:21
S102	80	takano-satoshi.in.	USPAT	OR	ON	2006/09/26 18:21
S103	6	takano-satoshi.in. and thermocouple	US-PGPUB; USPAT	OR	ON	2006/09/26 18:23
S104	1	("6225601").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 18:22
S105	0	("6744018").URPN.	USPAT	OR	ON	2006/09/26 18:23
S106	1	takano-satoshi.in. and thermocouple	EPO; JPO; DERWENT	OR	ON	2006/09/26 18:24
S107	413	takano-satoshi.in.	EPO; JPO; DERWENT	OR	ON	2006/09/26 18:24
S108	3	takano-satoshi.in. and warp\$3	EPO; JPO; DERWENT	OR	ON	2006/09/26 18:24
S109	0	(118/725.ccls. and 156/345.51-345.55.ccls.) and (thermocouple with (display\$3 screen))	US-PGPUB; USPAT	OR	ON	2006/09/26 18:27
S110	40	(118/725.ccls. and 156/345.51-345.55.ccls.) and (thermocouple)	US-PGPUB; USPAT	OR	ON	2006/09/26 18:30
S111	6	(156/345.55.ccls.) and (thermocouple)	US-PGPUB; USPAT	OR	ON	2006/09/26 18:39
S112	18	S110 and rotat\$4	US-PGPUB; USPAT	OR	ON	2006/09/26 18:30
S113	114	(156/345.55.ccls.)	US-PGPUB; USPAT	OR	ON	2006/09/26 18:41
S114	30	(156/345.55.ccls.) and ((cool\$3 chill\$3) with (wafer fluid liquid))	US-PGPUB; USPAT	OR	ON	2006/09/26 19:11
S115	2	((cool\$3 chill\$3) with shaft with (vicinity area)) same rotat\$4) and (118/715-733.ccls. 156/345.ccls.)	US-PGPUB; USPAT	OR	ON	2006/09/26 19:13
S116	0	((cool\$3 chill\$3) with shaft with (vicinity area)) same rotat\$4) and (219/444.1.ccls. 392/416.ccls. 392/418.ccls.)	US-PGPUB; USPAT	OR	ON	2006/09/26 19:14
S117	1	((cool\$3 chill\$3) with shaft with (vicinity area)) same rotat\$4) and (c23c016\$.ipc. h01lo21\$.ipc. c23f001\$.ipc.)	US-PGPUB; USPAT	OR	ON	2006/09/26 19:16
S118	3	((cool\$3 chill\$3) and shaft and (vicinity area)) and rotat\$4) and (c23c016\$.ipc. h01lo21\$.ipc. c23f001\$.ipc.)	EPO; JPO; DERWENT	OR	ON	2006/09/26 19:17